CONTENT

1. Catalog ---- 1

2. Application/Product features ---- 2

3. Manual series

38mm tube simple manual roller blinds ---- 3

38mm tube manual roller blinds with top rail ---- 4

38mm tube round cassette manual roller blinds ---- 5

38mm tube round cassette manual roller blinds with fabric insert with fabric insert ---- 6

38mm tube square cassette manual roller blinds ---- 7

no drills no tools roller blinds ---- 8

38mm tube dual roller blinds ---- 9

Full blackout manual roller blinds with side channel ---- 10

38mm tube square cassette manual dual roller blinds - 11

35mm tube spring roller blinds ---- 12

38mm tube round cassette spring roller blinds ---- 13

4. Motorized/Smart

G58 battery motorized roller blinds ---- 14

38mm tube removable battery motorized roller blinds ---- 15

38mm tube simple motorized roller blinds ---- 16

38mm tube motorized roller blinds with top rail ---- 17

38mm tube round cassette motorized roller blinds ---- 18

38mm tube round cassette motorized roller blinds with fabric insert ---- 19

38mm tube square cassette motorized roller blinds ---- 20

Full blackout motorized roller blinds with side channel ---- 21

38mm tube square cassette motorized dual roller blinds ---- 22

5. Material details ---- 22

6. Color series ---- 23

Application

.....

Home living room 、 bedroom、

Villa、Hotel、Cafe、Restaurant、Study、

Music room、Multi-function hall、club、etc.

.....

Product Features

1. Operation is simple and convenient to rotate the fabric up and down.
2. The fabric color is rich, scenery series, sunlight series and block out series.
3. Product is applied by family, commercial premises and high window.

PRODUCT SHOW

38mm tube simple manual roller blinds

1. Cassette Cover
2. 38mm Tube
3. Bead Rope
4. Pendant
5. Fabric
6. Buttom Tube
7. End Unit
8. Bottom Rail



Minimum width	11.82”
Maximum width	98.42”
Minimum height	196.86”
Maximum area	7 ㎡
Maximum load	6.5kg

Main Accessories





38mm tube manual roller blinds with top rail

1. Installation Code
2. Top code
3. Top Rail
4. 38mm Tube
5. Cassette Cover
6. Bead Rope
7. Fabric
8. Rubber Strip
9. End Unit
10. Counterweight Strip
11. Bottom Rail

Minimum width	11.82”
Maximum width	98.42”
Minimum height	196.86”
Maximum area	7 ㎡
Maximum load	6.5kg



Main Accessories





PRODUCT SHOWCASE

38mm tube round cassette manual roller blinds

1. Cassette Cover
2. Bracket
3. End Unit
4. 38mm Tube
5. Installation Code
6. Cassette
7. Bead Head
8. Cassette Cover
9. Bead rope
10. Pendant
11. Fabric
12. End Unit
13. Bottom Rail



Minimum width	11.82”
Maximum width	98.42”
Minimum height	70.86”
Maximum area	4 ㎡
Maximum load	6.5kg

Main Accessories







38mm tube round cassette manual roller blinds with fabric insert

1. Cassette Cover
2. Bracket
3. End Unit
4. Installation Code
5. Cassette
6. Cassette Cover
7. 38mm Tube
8. Bead Rope
9.Pendant
10.Fabric
11.End Unit
12.Bottom Tube
13.Bottom Rail

Minimum width	11.82”
Maximum width	98.42”
Minimum height	157.48”
Maximum area	5 ㎡
Maximum load	6.5kg



Main Accessories







38mm tube square cassette manual roller blinds

1. Cassette Cover
2. Bracket
3. End Unit
4. 38mm Tube
5. Installation Code
6. Cassette
7. End Unit
8. Bead Head
9. Fabric
10. Pendant
11. Bottom Rail End Unit
12. Bottom Tube End Unit
13. Bottom Tube
14. Bottom Rail



Minimum width	11.82”
Maximum width	98.42”
Minimum height	157.48”
Maximum area	5 ㎡
Maximum load	6.5 kg

Main Accessories





28/38mm no drills no tools roller blinds

1. 28/38mm Tube
2. Bead Head
3. Fabric
4. Bead
5. Pendant
6. Bottom Rail End Unit
7. Bottom Rail
8. Bottom Tube

Minimum width	11.81”
Maximum width	90.56”
Minimum height	110.24”
Maximum area	5 ㎡
Maximum load	8kg



Main Accessories





38mm tube dual roller blinds

1. Cassette Cover
2. Bead
3. 38mm Tube
4. Fabric
5. Bottom Rail
6. End Unit



Minimum width	11.82”
Maximum width	98.42”
Minimum height	118.12”
Maximum area	6 ㎡
Maximum load	4.4kg

Main Accessories







Full blackout manual roller blinds with side channel

1. Cassette Cover
2. Bracket
3. Top Rail
4. Tope Code
5. Back Cassette
6. Brush Strip
7. Front Cassette
8. Bracket
9. End Unit
10. Bracing Plate
11. Tube
12. Motor End Unit
13. Motor
14. Runner
15. Fabric
16. End Unit
17. Bottom Rail
18. Bead Head
19. Bead Rope
20. Pendant
21. Side Rail
22. Side Rail Cover



Minimum width	11.82”
Maximum width	98.42”
Minimum height	157.48”
Maximum area	5 ㎡
Maximum load	6.5 kg

Main Accessories



38mm tube square cassette manual dual roller blinds

1. Left Cassette Cover
2. Bracket
3. End Unit
4. Cassette
5. 38mm Tube
6. End Unit
7. Bracket
8. Bracket
9. Right Cassette Cover
10. Bead Guide Buckle
11. Seal
12. Bead
13. Fabric
14. Bottom Rail
15. End Unit
16. Side Rail Cover
17. Side Rail



Minimum width	11.82”
Maximum width	98.42”
Minimum height	118.12”
Maximum area	6 ㎡
Maximum load	4.4kg

Main Accessories





35mm tube spring roller blinds

1. Cassette Cover
2. Screw
3. Cassette
4. Resistance Limiter
5. Top Code
6. Installation Code
7. Spring rod
8. Top Rail
9. 35mm Tube
10. Fabric
11. Bottom Rail
12. End Cap
13. Bottom Rail Handle



Minimum width	25.60”
Maximum width	70.88”
Minimum height	78.74”
Maximum area	3 ㎡
Maximum load	4kg

Main Accessories

38mm tube round cassette spring roller blinds

1. Cassette Cover
2. Resistance Limiter
3. Bracket
4. Cassette
5. Installation Code
6. Top Code
7. Spring rod
8. Top Rail
9. 38mm Tube
10. Fabric
11. Bottom Rail
12. End Unit
13. Handle



Minimum width	11.82”
Maximum width	98.42”
Minimum height	157.48”
Maximum area	5 ㎡
Maximum load	6.5kg

Main Accessories







G58 battery motorized roller blinds

1. Motor Tube
2. Cassette Cover
3. Battery
4. Battery Buckle
5. Top Rail
6. Cassette
7. Tube
8. End Cap
9. Assist Tailplug
10. Installation Code
11. Cassette Cover
12. Bottom Rail
13. End Unit
14. Fabric



Minimum width	15”-22”
Maximum width	59”-98”
Maximum area	3.5 ㎡
Maximum load	5kg

Motor parameters

Motor model	Rated voltage	Rated current	Torque	Rotational speed
AG25-0.4	7.4V AC	1.0A	0.4 Nm	25rpm

Main Accessories





38mm tube removable battery motorized roller blinds

1. Cassette Cover
2. End Unit
3. 38mm Tube
4. Installation Code
5. Cassette
6. Bracket
7. Cassette Cover
8. Motor
9. Hand Stick Lithium Battery
10. End Unit
11. Bottom Rail
12. Fabric



Minimum width	15.74”
Maximum width	98.42”
Maximum area	4.5 ㎡
Maximum load	4kg

Motor parameters

Motor model	Rated voltage	Rated current	Torque	Rotational speed	Smart
AM25	110-240 AC/Battery	120W	1.1 Nm	15rpm	Yes

Main Accessories



38mm tube simple motorized roller blinds

1. Cassette Cover
2. Moto End Unit
3. Motor
4. Runner
5. Cassette Cover
6. Wire
7. Wire Accessory
8. Cassette Cover
9. End Unit
10. Fabric
11. Wire Accessory
12. Bottom End Unit
13. Bottom rail
14. Counterweight Strip



Minimum width	19.68"
Maximum width	98.42"
Maximum area	5 ㎡
Maximum load	5kg

Motor parameters

Motor model	Rated voltage	Rated current	Torque	Rotational speed	Smart
AM25	110-240 AC/Battery	120W	1.1 Nm	15rpm	Yes

Main Accessories







38mm tube motorized roller blinds with top rail

1. Installation code
2. Top code
3. Top rail
4. End Unit
5. 38mm Tube
6. Motor End Unit
7. Motor
8. Fabric
9. Bottom Rail Tube
10. End Unit
11. Counterweight Strip
12. Bottom Rail



Minimum width	19.68"
Maximum width	98.42"
Maximum area	5 ㎡
Maximum load	5kg

Motor parameters

Motor model	Rated voltage	Rated current	Torque	Rotational speed	Smart
AM25	110-240 AC/Battery	120W	1.1 Nm	15rpm	Yes

Main Accessories





38mm tube round cassette motorized roller blinds

1. Cassette Cover
2. Bracket
3. End Unit
4. 38mm Tube
5. Installation Code
6. Cassette
7. Cassette Cover
8. Runner
9. Motor
10. Fabric
11. End Unit
12. Bottom Rail



Minimum width	19.68"
Maximum width	98.42"
Maximum area	5 ㎡
Maximum load	5kg

Motor parameters

Motor model	Rated voltage	Rated current	Torque	Rotational speed	Smart
AM25	110-240 AC/Battery	120W	1.1 Nm	15rpm	Yes

Main Accessories





38mm tube round cassette motorized roller blinds

1. Cassette Cover
2. Bracket
3. End Unit
4. Installation Code
5. Cassette
6. Cassette Cover
7. 38mm Tube
8. Runner
9. Motor
10. Fabric
11. Bottom Rail End Cap
12. Bottom Tube
13. Bottom Rail



Minimum width	11.82"
Maximum width	98.42"
Maximum area	5 ㎡
Maximum load	6.5kg

Motor parameters

Motor model	Rated voltage	Rated current	Torque	Rotational speed	Smart
AM25	110-240 AC/Battery	120W	1.1 Nm	15rpm	Yes

Main Accessories







38mm tube square cassette motorized roller blinds

1. Cassette Cover
2. Bracket
3. End Unit
4. 38mm Tube
5. Installation Code
6. Cassette
7. Motor
8. Runner
9. Cassette
10. Cassette Cover
11. Fabric
12. End Unit
13. End Uap
14. Bottom Tube
15. Bottom Rail



Minimum width	11.82"
Maximum width	98.42"
Maximum area	5 ㎡
Maximum load	6.5kg

Motor parameters

Motor model	Rated voltage	Rated current	Torque	Rotational speed	Smart
AM25	110-240 AC/Battery	120W	1.1 Nm	15rpm	Yes

Main Accessories



Full blackout motorized roller blinds with side channel

1. Cassette Cover
2. Bracket
3. Top Rail
4. Tope Code
5. Back Cassette
6. Brush Strip
7. Front Cassette
8. Bracket
9. End Unit
10. Bracing Plate
11. Tube
12. Motor End Unit
13. Motor
14. Runner
15. Fabric
16. End Unit
17. Bottom Rail
18. Side Rail
19. Side Rail Cover



Minimum width	11.82"
Maximum width	98.42"
Maximum area	5 ㎡
Maximum load	6.5kg

Motor parameters

Motor model	Rated voltage	Rated current	Torque	Rotational speed	Smart
AM25	110-240 AC/Battery	120W	1.1 Nm	15rpm	Yes

Main Accessories



38mm tube square cassette motorized dual roller blinds

1. Cassette Cover
2. Bracket
3. Fabric
4. Bracket
5. End Unit
6. Cassette
7. 38mm Tube
8. Seal
9. Motor
10. Bracket
11. Bracket
12. Cassette Cover
13. Bead Guide Buckle
14. Bottom Rail
15. End Unit
16. Side Rail Cover
17. Side Rail



Minimum width	11.82"
Maximum width	98.42"
Maximum area	5 ㎡
Maximum load	5kg

Motor model	Rated voltage	Rated current	Torque	Rotational speed	Smart
AM25	110-240 AC/Battery	120W	1.1 Nm	15rpm	Yes

Main Accessories









Fabric Style Series

Fabric Introduction

- Fabric is rich,environmental protection certification,no formaldehyde and other toxic substances.
- The fabric has block out,transparent series,linen fabric and children's series,etc..
- Effective heat radiation,reduce indoor temperature,energy saving and environmental protection.
- color fastness is teliable and not easy to fade.

COLOR SELECTION



320.01190
(Semi blackout)



320.01191
(Semi blackout)



320.01192
(Semi blackout)

320.01193
(Semi blackout)

320.01194
(Semi blackout)

320.01195
(Semi blackout)

320.01196
(Semi blackout)

320.11001
(Semi blackout)

320.11002
(Semi blackout)

320.11003
(Semi blackout)

331.01190
(Semi blackout)

331.01191
(Semi blackout)



320.01197
(Semi blackout)



320.01198
(Semi blackout)



320.01199
(Semi blackout)



320.01200
(Semi blackout)

COLOR SELECTION



322.06001
(Semi blackout)

322.06002
(Semi blackout)

323.05001
(Full blackout)

322.06003
(Semi blackout)

322.06004
(Semi blackout)



322.06005
(Semi blackout)



322.06007
(Semi blackout)



322.06008
(Semi blackout)

322.10113
(Semi blackout)



322.10114
(Semi blackout)



322.10115
(Semi blackout)



322.10112
(Semi blackout)

322.10117
(Semi blackout)

323.03011
(Full blackout)



323.03013
(Full blackout)

331.01081
(Semi blackout)

COLOR SELECTION

331.01082
(Semi blackout)



331.01083
(Semi blackout)



331.01084
(Full blackout)



331.01085
(Semi blackout)

331.03111
(Semi blackout)



331.03112
(Semi blackout)



331.03113
(Semi blackout)



331.03114
(Semi blackout)



331.01180
(Semi blackout)



331.01181
(Semi blackout)

331.01182
(Semi blackout)



331.01183
(Semi blackout)

331.01184
(Semi blackout)

331.01051
(Semi blackout)

331.01052
(Semi blackout)



331.01053
(Semi blackout)

COLOR SELECTION

331.01054
(Semi blackout)

322.06009
(Semi blackout)



322.06010
(Semi blackout)



322.06011
(Semi blackout)

323.05002
(Full blackout)

323.05003
(Full blackout)

322.10119
(Semi blackout)

322.10120
(Semi blackout)

322.10121
(Semi blackout)



321.02341
(Semi blackout)



321.02342
(Semi blackout)



321.02343
(Semi blackout)



321.02101
(Full blackout)



321.02102
(Full blackout)



321.02103
(Full blackout)



321.02104
(Semi blackout)

COLOR SELECTION

321.02105
(Semi blackout)

321.02106
(Semi blackout)



321.01011
(Semi blackout)



321.01013
(Semi blackout)

331.01200
(Full blackout)

331.01201
(Full blackout)

331.01203
(Full blackout)



331.01204
(Full blackout)

331.03101
(Semi blackout)

331.03102
(Semi blackout)

331.03103
(Semi blackout)

331.03104
(Semi blackout)

321.02001
(Semi blackout)



321.02002
(Semi blackout)



321.02003
(Semi blackout)



321.02004
(Semi blackout)

COLOR SELECTION



321.02005
(Semi blackout)



331.03119
(Semi blackout)

331.03120
(Semi blackout)



331.03121
(Semi blackout)



331.03122
(Semi blackout)

331.03123
(Semi blackout)

331.03124
(Semi blackout)



331.03125
(Semi blackout)



331.03126
(Full blackout)

331.03127
(Full blackout)



331.03128
(Full blackout)

331.03129
(Full blackout)

331.03130
(Full blackout)

331.03131
(Full blackout)



331.03132
(Full blackout)

331.03133
(Full blackout)

COLOR SELECTION



331.03134
(Semi blackout)

331.03135
(Semi blackout)



331.03136
(Semi blackout)

331.03137
(Semi blackout)

331.03138
(Semi blackout)

599.50135
(Full blackout)

599.50136
(Full blackout)

599.50141
(Full blackout)



599.50159
(Full blackout)



599.50160
(Full blackout)



599.50161
(Full blackout)

331.01601
(Semi blackout)



331.01602
(Semi blackout)

331.01603
(Semi blackout)

331.01604
(Semi blackout)



331.01605
(Semi blackout)

COLOR SELECTION

331.01901
(Semi blackout)

331.01902
(Semi blackout)

331.01903
(Semi blackout)



331.01904
(Semi blackout)

331.01401
(Semi blackout)

331.01402
(Semi blackout)

331.01403
(Full blackout)



331.01404
(Full blackout)

331.01501
(Semi blackout)

331.01502
(Semi blackout)

331.01503
(Semi blackout)

331.01504
(Semi blackout)

COLOR SELECTION

321.02331
(Semi blackout)

321.02332
(Semi blackout)



321.02333
(Semi blackout)



321.02341
(Semi blackout)

321.02342
(Semi blackout)

321.02343
(Semi blackout)

322.01131
(Semi blackout)

322.01132
(Semi blackout)



322.01133
(Semi blackout)



322.01134
(Semi blackout)



322.01135
(Semi blackout)

323.03081
(Full blackout)



323.03082
(Full blackout)

323.03083
(Full blackout)



323.03084
(Full blackout)

323.03051
(Semi blackout)

COLOR SELECTION

323.03052
(Semi blackout)

323.03053
(Full blackout)

323.03054
(Semi blackout)

323.03055
(Semi blackout)

321.01020
(Semi blackout)

321.01021
(Semi blackout)

321.01022
(Semi blackout)

321.01023
(Semi blackout)



321.01024
(Semi blackout)



321.01025
(Semi blackout)



321.01026
(Semi blackout)



321.01027
(Semi blackout)



321.01028
(Semi blackout)



321.01029
(Semi blackout)



321.01030
(Semi blackout)



321.01015
(Semi blackout)

COLOR SELECTION



321.01016
(Semi blackout)



321.01017
(Semi blackout)



321.01018
(Semi blackout)



321.01019
(Semi blackout)

321.02101
(Full blackout)



321.02102
(Full blackout)



321.02103
(Full blackout)



321.02900
(Semi blackout)



321.02901
(Semi blackout)



321.02902
(Semi blackout)

321.02351



321.02352



321.02353



321.13613

321.13614

321.13615

COLOR SELECTION

322.01181
(Semi blackout)

322.11011
(Semi blackout)

322.11012
(Semi blackout)

322.11013
(Semi blackout)

322.11014
(Semi blackout)

323.06003
(Full blackout)

323.06004
(Full blackout)



323.06006
(Full blackout)

599.50244
(Full blackout)

599.50245
(Full blackout)



599.50247
(Full blackout)

322.11021
(Semi blackout)



322.11025
(Semi blackout)

COLOR SELECTION

323.06011
(Full blackout)

323.06012
(Full blackout)

323.06013
(Full blackout)

323.06014
(Full blackout)

323.06015
(Full blackout)



321.13605
(Semi blackout)



321.13606
(Semi blackout)



321.13607
(Semi blackout)



321.13608
(Semi blackout)