

Product catalogue

Shangri La shades




38mm tube manual sheer shades



Parameter

- Structure

- 1.Left end cover
- 2.Head bracket
- 3.Tail plug
- 4.Tube
- 5.Installation code
- 6.Decorative cover
- 7.Bead head
- 8.Right end cover
- 9.Rope
- 10.Rope pendant
- 11.Fabric
- 12.Fabric sheet
- 13.Bottom rail seal
- 14.Bottom rail




- Specifications


Minimum Width (inch)	12.0
Maximum Width (inch)	90.0
Maximum Width (inch)	63.0
Maximum Area (m²)	6 m²




Brackets



Decorative cover ①



Decorative cover ②



Bottom rail



Cord lift

▪ Sheer material



● Semi-shading
White



● Semi-shading
Griefe



● Semi-shading
Grey



● Semi-shading
Coffee



● Semi-shading
Beige



● Blackout
White



● Blackout
Gray



● Blackout
Apricot

38mm tube motorized sheer shade with removable lithium battery



Parameter

• Structure

- 1.Installation code

2.Housing

3.Left end cover

4.Motor head bracket

5.Motor

6.Reel

7.Round tube tail plug

8.Motor tail bracket

9.Right end cover

10.Round tube

11.Fabric

12.Fabric sheet


13.Underbeam

14.Underbeam sealing

15.USB cable

16.Lithium battery

17.Type-C interface



• Specifications

Minimum Width (inch)	20.0
Maximum Width (inch)	90.0
Maximum Width (inch)	63.0
Maximum Area (㎡)	3.5 ㎡
Motor model	#AM25-1.2/30-es-eb
	#AM25-1.2/30-es-ez




Brackets



Decorative cover



Lithium battery hand stick



Bottom rail



Remote control




• Sheer material



● Semi-shading
White



● Semi-shading
Griege



● Semi-shading
Grey



● Semi-shading
Coffee



● Semi-shading
Beige



● Blackout
White




● Blackout
Gray



● Blackout
Apricot


38mm tube manual sheer shades



Parameter


- Structure

- 1.Installation code
- 2.Decorative cover
- 3.Left end cover
- 4.Motor bracket
- 5.G25 Motor
- 6.Reel
- 7.Tube tail plug
- 8.Motor bracket
- 9.Right end cover
- 10.38mm tube
- 11.Fabric
- 12.Fabric sheet
- 13.Underbeam
- 14.Underbeam sealing



- Specifications


Minimum Width (inch)	20.0
Maximum Width (inch)	90.0
Maximum Width (inch)	63.0
Maximum Area (m²)	3.5 m²
Motor model	#AM25-1.2/30-es-eb
	#AM25-1.2/30-es-ez



Brackets



Decorative cover



Bottom rail



Remote control



▪ Sheer material



● Semi-shading
White



● Semi-shading
Griege



● Semi-shading
Grey



● Semi-shading
Coffee



● Semi-shading
Beige



● Blackout
White




● Blackout
Gray



● Blackout
Apricot


50mm tube motorized sheer shade



Parameter


• Structure

- 1.Installation code
- 2.Decorative cover
- 3.Left end cover
- 4.Motor bracket
- 5.G35 Motor
- 6.Reel
- 7.Tube tail plug
- 8.Motor bracket
- 9.Right end cover
- 10.50mm tube
- 11.Fabric
- 12.Fabric sheet
- 13.Underbeam
- 14.Underbeam sealing



• Specifications


Minimum Width (inch)	24.0
Maximum Width (inch)	90.0
Maximum Width (inch)	100.0
Maximum Area (㎡)	5 ㎡
Motor model	#AG40RE-10/17-tuya-wifi



Brackets



Decorative cover



Bottom rail



Cord lift



▪ Sheer material




● Semi-shading
White



● Semi-shading
Griege



● Semi-shading
Grey



● Semi-shading
Coffee



● Semi-shading
Beige



● Blackout
White



● Blackout
Gray



● Blackout
Apricot

compare the difference of cellular shades				
	Manual Model 1	Smart Model 1	Smart Model 2	Smart Model 3
Width	12-90 inch	20-90 inch	20-90 inch	24-90 inch
Max Area	6 m²	3 m²	3.5 m²	5 m²
Lift System	Cord lift	Lithium battery with Bluetooth Lithium battery with zigbee	Lithium battery with Bluetooth Lithium battery with zigbee	tuya-wifi
Mount	Inside/Outside	Inside/Outside	Inside/Outside	Inside/Outside