

Venetian Blind



PART 1 Product Features

Varied Dimming

- 1 Through turning of blade to produce light and shadow changes and achieve **0 to 135** degree light adjustment function.
- 2 The blade and top rail is **aluminum alloy**. It is solid and durable, **easy to clean**, reduce bacterial growth and beneficial for health.
- 3 **Chain operating system** so that light and lift operation becomes more convenient.

PART 2 Application



PART 3 Product Introduction

Quality Accessories:

Clutch : Planetary gear reducer, the operation is stable to save more than **30%**.


Material: High profile Aluminum Alloy profiles and durable rust.

Chain or cord: Anti UV aging and high intensity operation. It can be tested more than **10000** times. The cord is operating **quietly** and chain is **strong**.


Motor: Easy to operate, meeting the international **safety standards**. There is UL 3C CE and other authoritative certification.

141.121 25 Manual Venetian Blind

Product System



Main Accessories



Rail Cap



Reel



Track



Clutch



Rail Cap



Bottom Rail

141.122 25 Manual Rod Venetian Blind

Product System



Main Accessories



Bracket




Chain



Rod



Clutch




Rail Cap



Bottom Rail

141.131 35 Manual Venetian Blind

Product System




Main Accessories




Bracket



Clutch



Reel



Track




Rail Cap



Bottom Rail

141.141 50 Manual Chain (Cord) Venetian Blind

Product System



Main Accessories




Bracket



Clutch



Reel



Track




Rail Cap



Bottom Rail

141.142 50 Manual Double Cord Venetian Blind

Product System




Main Accessories



Bracket




Cord



Track



Rail Cap




Bottom Rail



Reel

141.521 25 Motorized Venetian Blind

Product System




Main Accessories



Controller Remote



Motor




Machanical inching device



Rail Cap




Bracket




Bottom Rail

141.531 35 Motorized Venetian Blind

Product System



Main Accessories



Controller Remote



Motor



Mechanical inching device



Rail Cap




Bracket




Bottom Rail

141.544 50 Motorized Venetian Blind

Product System



Main Accessories



Controller Remote




Motor




Machanical inching device



Rail Cap



Tube



Bottom Rail

Fabric Introduction

Fabric is rich, environmental protection certification, no formaldehyde and other toxic substances.

The fabric blade is made of high quality *three roller three enamel paint*, which is bright as new for ten years. Fabric size has different specifications, *15mm, 25mm, 35mm and 50mm*. Various colors are available.

Effective heat radiation, reduce indoor temperature, energy saving and environmental protection, color fastness is reliable and not easy to fade.



25mm Matte Series



VB-25.011 Bright silver



VB-25.012 White



VB-25.013 Off white



VB-25.014 Beige



VB-25.016 Blue



VB-25.015 Golden



VB-25.017 Silver



VB-25.018 Champagne



VB-25.010 Fruit green



VB-25.019 Sky blue



VB-25.020 Khaki

Description	Matte
Material	Al Mg alloy 5154H19
Thickness	0.2mm
Width	25mm
UTS (Rm)	330-370N/mm ²
YS(Rpo.2)	310-350N/mm ²

25mm Bright Series



VB-25.121 Bright silver




VB-25.122 White



VB-25.123 Off white



VB-25.124 Beige



VB-25.125 Blue



VB-25.126 Champagne

Description	Bright
Material	Al Mg alloy 5154H19
Thickness	0.2mm
Width	25mm
UTS (Rm)	330-370N/mm ²
YS(Rpo.2)	310-350N/mm ²

25mm Pinhole Series



VB-25.001 Silver gray



VB-25.002 White



VB-25.003 Beige



VB-25.005 Light green



VB-25.006 Golden



VB-25.007 Smoke gray

Description	Pinhole
Material	Al Mg alloy 5154H19
Thickness	0.2mm
Width	25mm
UTS (Rm)	330-370N/mm ²
YS(Rpo.2)	310-350N/mm ²

25mm Wood Grain



VB-25.031 Light walnut



VB-25.032 Red teak



VB-25.033 Deep yellow wood




VB-25.035 Light yellow wood



VB-25.036 Yellow wood

Description	Wood Grain
Material	Al Mg alloy 5154H19
Thickness	0.2mm
Width	25mm
UTS (Rm)	330-370N/mm ²
YS(Rpo.2)	310-350N/mm ²

35mm Matte Series



VB-35.001

Silver




VB-35.002

White



VB-35.003

Beige



VB-35.004

Blue



VB-35.005

Green




VB-35.011

Silver



VB-35.012

Beige



VB-35.013

Sky blue



VB-35.014

Smoke gray



VB-35.018

Golden

Description	Matte
Material	Al Mg alloy 5154H19
Thickness	0.2mm
Width	35mm
UTS (Rm)	330-370N/mm ²
YS(Rpo.2)	310-350N/mm ²

35mm Pinhole Series



VB-35.101

White



VB-35.102

Beige



VB-35.103

Silver gray



VB-35.108

Golden




VB-35.112

Blue

Description	Pinhole
Material	Al Mg alloy 5154H19
Thickness	0.2mm
Width	35mm
UTS (Rm)	330-370N/mm ²
YS(Rpo.2)	310-350N/mm ²

50mm Matte Series



VB-50.001 Silver gray



VB-50.002 White



VB-50.003 Beige




VB-50.004 Yellow



VB-50.009 Bright silver

Description	Matte
Material	Al Mg alloy 5154H19
Thickness	0.22mm
Width	50mm
UTS (Rm)	350-400N/mm ²
YS(Rpo.2)	330-380N/mm ²

50mm Pinhole Series



VB-50.101

Silver




VB-50.102

White



VB-50.103

Beige



VB-50.109

Bright silver

Description	Pinhole
Material	Al Mg alloy 5154H19
Thickness	0.22mm
Width	50mm
UTS (Rm)	350-400N/mm ²
YS(Rpo.2)	330-380N/mm ²

50mm Wood Grain



VB-50.201

Light yellow wood



VB-50.202

Red brown wood

Description	Wood Grain
Material	Al Mg alloy 5154H19
Thickness	0.22mm
Width	50mm
UTS (Rm)	350-400N/mm ²
YS(Rpo.2)	330-380N/mm ²